

CAUTION**KEEP OUT OF REACH OF CHILDREN****READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FOR ANIMAL TREATMENT ONLY****32.5g****MORANOX BROADSPECTRUM
ORAL WORMING PASTE
FOR HORSES**

Each gram of paste contains:

245 mg morantel tartrate 175 mg oxfendazole

Moranox Broad Spectrum Oral Worming Paste For Horses is to be used for the treatment and control of susceptible strains of small strongyles (including arterial larval stages of *Strongylus vulgaris* and benzimidazole resistant small strongyles). Moranox Broad Spectrum Oral Worming Paste For Horses is suitable for use in a rotation program. Moranox Broad Spectrum Oral Worming Paste For Horses treats susceptible small strongyle infection and aids in the control of tapeworms (*A. perfoliata*) in horses up to a weight of 550kgs.

DIRECTIONS FOR USE:

DOSAGE AND ADMINISTRATION: Given orally at the recommended dose rate of 5mL per 100kg bodyweight, the 32.5 g syringe is capable of treating horses of weight up to 550 kg. The dose of 5mL per 100kg bodyweight delivers 10 mg/lg of oxfendazole and 14mg of morantel tartrate. Screw the plastic adjuster out to the weight of the horse, remove the cap and insert the syringe into the side of the horse's mouth between the front and back teeth and deposit the paste towards the back of the tongue by depressing the plunger quickly as far as it will go. Immediately raise the horses head for a few seconds to ensure the full dose has been accepted. **After using discard any unused portion of the syringe within 24 hours.**

GENERAL DIRECTIONS:

At the dosage rate of 5 mL per 100 kg bodyweight Moranox Broad Spectrum Oral Worming Paste for Horses delivers 5.6 g oxfendazole and 7.8 g per 32.5g tube and is indicated for the treatment and control of the following parasites in horses for up to 28 days after treatment: **Small Strongyles:** (Redworms) *Cyathostomum spp* including benzimidazole resistant strains. Moranox Broad Spectrum Oral Worming Paste for Horses aids in the control of tapeworms (*A. perfoliata*.)

PRECAUTIONS: Take care to avoid accidental over-dosage of small or fasting horses.

Not to be used in foals or horses weighing less than 100 kgs.

READ OUTER CARTON BEFORE USING THIS PRODUCT.

Develop a Regular Treatment program

All horses should be subject to regular worming to maintain good health and peak condition.

Moranox Broad Spectrum Oral Worming Paste for Horses is well suited to be the major rotation product in your equine parasited control arsenal

MEAT WITHHOLDING PERIOD (HORSES): DO NOT USE less than 28 days' before slaughter for human consumption.

SAFETY DIRECTIONS: May irritate eyes and skin. Avoid contact with eyes and skin. When using the product, wear rubber gloves. Wash hands after use.

FIRST AID: If poisoning occurs, contact a doctor or Poisons information service. Phone Australia 131126; New Zealand 1300 POISONS

Additional information available on the Material Safety Data Sheet which can be obtained from :

Riverside Veterinary Products PTY Ltd, 173 Epsom Road, Chipping Norton NSW 2170 Australia Phone: (02) 960 14519

DISPOSAL: Dispose of empty container and syringe by wrapping with paper and putting in garbage

STORAGE: Store below 30 C (Room Temperature). Protect from light

Moranox Broad Spectrum Oral Worming Paste for Horses is well suited to be the major rotation product in your equine parasite control program.

Place a powerful strangle hold around increasing helminth resistance by rotating Moranox Broad Spectrum Oral Worming Paste for Horses on a six monthly basis with an ivermectin broad spectrum drench.